



UNITED STATES PATENT AND TRADEMARK OFFICE

H.A

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/028,787	12/28/2001	Satoshi Niiyama	217911US0CIP	2834
22850	7590	11/03/2006		
C. IRVIN MCCLELLAND OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER DUONG, THOI V	
			ART UNIT	PAPER NUMBER
			2871	

DATE MAILED: 11/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/028,787

Applicant(s)

NIIYAMA ET AL.

Examiner

Thoi V. Duong

Art Unit

2871

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 August 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,5,6,11-23 and 27-30 ~~is/are~~ pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,5,6,11-23 and 27-30 ~~is/are~~ rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 09/847,333.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892) None
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. This office action is in response to the Amendment filed August 25, 2006.

Accordingly, claims 1, 5, 6 and 21 were amended, claims 3, 4, 7-10 and 24-26 were cancelled, and new claims 29 and 30 were added. Currently, claims , 2, 5, 6, 11-23 and 27-30 are pending in this application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 2, 11-14, 16-18, 27 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over West et al. (West, US 5,453,863) in view of Unno et al. (Unno, US 6,233,027 B1).

Re claim 1, as shown in Fig. 1, West discloses a chiral nematic liquid crystal optical element (col. 6, lines 48-52), comprising:

a pair of substrates 10 and 11 with transparent electrodes 13 (col. 6, lines 35-39);

and

a liquid crystal layer 16 having a memory property (having the textures being stable in the absence of a field) interposed between the substrates (col. 4, lines 25-35);

a first resin layer 14 (upper resin layer) which is provided on one of the transparent electrodes 13 (upper transparent electrode) (col. 6, line 66 through col. 7, line 9),

Art Unit: 2871

said first resin layer having a rubbed vertical (or homeotropic) alignment surface in contact with the liquid crystal layer 16 (col. 3, lines 16-24; col. 7, lines 1-6; and col. 14, lines 35-37);

a second resin layer 14 (lower resin layer) which is a resin layer selected from the group consisting of a surface layer which has not been subject to an alignment treatment by rubbing, or a vertical alignment layer, said second resin layer 14 being provided between the liquid crystal layer and the other of the transparent electrodes (the lower transparent electrode 13 in Fig. 1) (col. 7, lines 2-7; col. 8, lines 15-19; col. 9, Table II, examples 16 and 20 and Table III, examples 34 and 37; and col. 14, lines 35-37),

wherein said liquid crystal layer exhibits a planar state as shown in Fig. 4 and a focal conic state as shown in Fig. 3 (col. 4, lines 25-35; col. 10, lines 42-59; and col. 11, lines 26-34).

However, West does not disclose that the second resin layer has a surface hardness of B or less in a pencil hardness test.

As shown in Fig. 2, Unno discloses a liquid crystal display device 21 comprising a first resin layer 12 (rubbed polyimide) (col. 5, lines 44-47) and a non-alignment layer 22 (photoelectric conversion semiconductor layer) comprising a second resin layer 25 (a charge transportation layer), which is provided between the liquid crystal layer 13 and the transparent electrode 5 (col. 3, lines 20-28 and 37-48; and col. 6, lines 16-27),

wherein the second resin layer 25 has a surface hardness of 2B or harder so as to control the gap size accurately (col. 6, lines 28-33); this meets the claimed surface hardness of B or less in a pencil hardness test.

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the liquid crystal optical element of West with the teaching of Unno by forming a second resin layer having a surface hardness of B or less in a pencil hardness test in order to accurately control the gap size of the display (col. 6, lines 28-33).

Re claim 2, Fig. 2 of Unno shows that the first resin layer 12 is provided only on the substrate 3 on a side opposite to an observing side OB.

Re claim 11, as shown in Fig. 3, West discloses that said focal conic state produces a scattering of incident light (col. 10, lines 53-59 and col. 11, lines 26-34).

Re claim 12, as shown in Fig. 4, West discloses that said planar state produces a selective reflection of incident light (col. 9, line 63 through col. 10, line 53).

Re claim 13, the liquid crystal optical element of West is a color display (col. 2, lines 10-13).

Re claim 14, West discloses that the second resin layer comprising a polyimide (col. 6, line 66 through col. 7, line 5), and the baking process for polyimide is well known in the art as disclosed by Unno for curing the material (col. 16, lines 7-59).

Re claim 16, West suggests that the second resin layer is a surface layer which is unrubbed or has not been subject to an alignment treatment by rubbing (col. 7, lines 2-7). Unno also suggests that the second resin layer 25 is a surface layer having a

surface 22f which has not been subject to an alignment treatment by rubbing (col. 3, lines 42-44).

Re claim 17, since the structure recited in the reference is substantially identical to that of the claims, claimed functions are presumed to be inherent (see MPEP 2112.01 [R-2]); therefore, the second resin layer of Unno having a pencil hardness of 2B also prevents image-sticking.

Re claim 18, as shown in Fig. 4, West discloses that the liquid crystal molecules 40 have a planar structure parallel to the cell wall and exhibit maximum reflectivity; accordingly, it is obvious that the liquid crystal layer exhibits reflection characteristics as if the liquid crystal layer is a mirror (col. 10, lines 43-51).

Re claim 27, West discloses that the rubbed vertical alignment does not twist the liquid crystal at 240 degrees since, according to examples 17 and 18 in Table II where the PVF coatings on opposite substrates are rubbed parallel and perpendicular to each other, the rubbed vertical alignment surface twists the liquid crystal at 90, 180, 270 or 360 degrees.

Re claim 29, West suggests that the second resin layer consists of a resin (col. 7, lines 2-5).

4. Claims 5, 19, 21-23, 28 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over West et al. (West, USPN 5,453,863) in view of Unno et al. (Unno, US 6,233,027 B1) and Konuma et al. (Konuma, USPN 5,856,853).

Re claim 5, as shown in Fig. 1, West discloses a chiral nematic liquid crystal optical element (col. 6, lines 48-52), comprising:

Art Unit: 2871

a pair of substrates 10 and 11 with transparent electrodes 13 (col. 6, lines 35-39);
and

a liquid crystal layer 16 having a memory property (having the textures being stable in the absence of a field) interposed between the substrates (col. 4, lines 25-35);

a first resin layer 14 (upper resin layer) which is provided on one of the transparent electrodes 13 (upper transparent electrode) (col. 6, line 66 through col. 7, line 9),

said first resin layer having a rubbed vertical (or homeotropic) alignment surface in contact with the liquid crystal layer 16 (col. 3, lines 16-24; col. 7, lines 1-6; and col. 14, lines 35-37);

a second resin layer 14 (lower resin layer) which is a resin layer selected from the group consisting of a surface layer which has not been subject to an alignment treatment by rubbing, or a vertical alignment layer, said second resin layer 14 being provided between the liquid crystal layer and the other of the transparent electrodes (the lower transparent electrode 13 in Fig. 1) (col. 7, lines 2-7; col. 8, lines 15-19; col. 9, Table II, examples 16 and 20 and Table III, examples 34 and 37; and col. 14, lines 35-37),

wherein said liquid crystal layer exhibits a planar state as shown in Fig. 4 and a focal conic state as shown in Fig. 3 (col. 4, lines 25-35; col. 10, lines 42-59; and col. 11, lines 26-34).

However, West does not disclose that the second resin layer has a surface hardness of B or less in a pencil hardness test and a metal oxide layer is provided on at least one of the transparent electrodes.

At first, as shown in Fig. 2, Unno discloses a liquid crystal display device 21 comprising a first resin layer 12 (rubbed polyimide) (col. 5, lines 44-47) and a non-alignment layer 22 (photoelectric conversion semiconductor layer) comprising a second resin layer 25 (a charge transportation layer), which is provided between the liquid crystal layer 13 and the transparent electrode 5 (col. 3, lines 20-28 and 37-48; and col. 6, lines 16-27),

wherein the second resin layer 25 has a surface hardness of 2B or harder so as to control the gap size accurately (col. 6, lines 28-33); this meets the claimed surface hardness of B or less in a pencil hardness test.

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the liquid crystal optical element of West with the teaching of Unno by forming a second resin layer having a surface hardness of B or less in a pencil hardness test in order to accurately control the gap size of the display (col. 6, lines 28-33).

Further, as shown in Fig. 1, Konuma discloses a liquid crystal display comprising a transparent electrode 8 and a metal oxide film 9 (short-circuit preventing film) provided on the transparent electrode 8 to prevent short-circuiting (see Abstract; col. 3, lines 57-60; and col. 5, lines 1-6).

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the chiral nematic liquid crystal optical element of West with the teaching of Konuma by providing a metal oxide layer provided on at least one of the transparent electrodes to prevent short-circuiting and improve contrast (see Abstract and col. 5, lines 52-57).

Re claim 19, West discloses that the second resin layer comprising a polyimide (col. 6, line 66 through col. 7, line 5), and the baking process for polyimide is well known in the art as disclosed by Unno for curing the material (col. 16, lines 7-59).

Re claim 21, West suggests that the second resin layer is a surface layer which is unrubbed or has not been subject to an alignment treatment by rubbing (col. 7, lines 2-7). Unno also suggests that the second resin layer 25 is a surface layer having a surface 22f which has not been subject to an alignment treatment by rubbing (col. 3, lines 42-44).

Re claim 22, since the structure recited in the reference is substantially identical to that of the claims, claimed functions are presumed to be inherent (see MPEP 2112.01 [R-2]); therefore, the second resin layer of Unno having a pencil hardness of 2B also prevents image-sticking.

Re claim 23, as shown in Fig. 4, West discloses that the liquid crystal molecules 40 have a planar structure parallel to the cell wall and exhibit maximum reflectivity; accordingly, it is obvious that the liquid crystal layer exhibits reflection characteristics as if the liquid crystal layer is a mirror (col. 10, lines 43-51).

Art Unit: 2871

Re claim 28, West discloses that the rubbed vertical alignment does not twist the liquid crystal at 240 degrees since, according to examples 17 and 18 in Table II where the PVF coatings on opposite substrates are rubbed parallel and perpendicular to each other, the rubbed vertical alignment surface twists the liquid crystal at 90, 180, 270 or 360 degrees.

Re claim 30, West suggests that the second resin layer consists of a resin (col. 7, lines 2-5).

5. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over West et al. (West, USPN 5,453,863) in view of Unno et al. (Unno, US 6,233,027 B1) and Konuma et al. (Konuma, USPN 5,856,853) as applied to claims 5, 19, 21-23, 28 and 30 above, and further in view of Gotoh et al. (Gotoh, USPN 5,674,576).

The chiral nematic liquid crystal optical element of West as modified in view of Unno and Konuma above includes all that is recited in claim 6 except for a drive voltage of 20V or less applied across the paired transparent electrodes.

As shown in Fig. 1, Gotoh discloses a chiral nematic liquid crystal optical element comprising a pair of electrodes 12 driven by a low applied voltage to realize excellent hysteresis characteristics (col. 2, lines 23-26). According to examples 1-11, the applied drive voltage is less than 20V (cols. 11-17).

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the chiral nematic liquid crystal optical element of West with the teaching of Gotoh by applying a low voltage of less than 20V

Art Unit: 2871

across the pair electrodes in order to obtain excellent hysteresis characteristics (col. 2, lines 23-26).

6. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over West et al. (West, USPN 5,453,863) in view of Unno et al. (Unno, US 6,233,027 B1) as applied to claims 1, 2, 11-14, 16-18, 27 and 29 above, and further in view of Khan et al. (Khan, USPN 6,377,321 B1).

West in view of Unno discloses a chiral nematic liquid crystal optical element that is basically the same as that recited in claim 15 except for a first electrically insulating layer coated on at least one of the electrodes and a second electrically insulating layer coated on the other electrodes, wherein said first and said second electrical insulating layers are coated on said electrically insulating layers.

As shown in Fig. 6, Khan discloses a chiral nematic liquid crystal optical element 42 comprising electrodes 56 and insulating layers 58 (passivation layers) coated on the electrodes to prevent front to back shorting of the electrodes, wherein alignment layers 60 are coated on said electrically insulating layers (col. 11, lines 42-67; col. 14, lines 1-6; and col. 17, lines 1-18).

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the chiral nematic liquid crystal optical element of West with the teaching of Khan by coating the insulation layers on the electrodes to prevent front to back shorting of the electrodes (col. 11, lines 50-52).

7. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over West et al. (West, USPN 5,453,863) in view of Unno et al. (Unno, US 6,233,027 B1) and

Art Unit: 2871

Konuma et al. (Konuma, USPN 5,856,853) as applied to claims 5, 19, 21-23, 28 and 30 above, and further in view of Khan et al. (Khan, USPN 6,377,321 B1).

West in view of Unno and Konuma discloses a chiral nematic liquid crystal optical element that is basically the same as that recited in claim 20 except for a first electrically insulating layer coated on at least one of the electrodes and a second electrically insulating layer coated on the other electrodes, wherein said first and said second electrical insulating layers are coated on said electrically insulating layers.

As shown in Fig. 6, Khan discloses a chiral nematic liquid crystal optical element 42 comprising electrodes 56 and insulating layers 58 (passivation layers) coated on the electrodes to prevent front to back shorting of the electrodes, wherein alignment layers 60 are coated on said electrically insulating layers (col. 11, lines 42-67; col. 14, lines 1-6; and col. 17, lines 1-18).

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the chiral nematic liquid crystal optical element of West with the teaching of Khan by coating the insulation layers on the electrodes to prevent front to back shorting of the electrodes (col. 11, lines 50-52).

Response to Arguments

8. Applicant's arguments filed August 25, 2006 have been fully considered but they are not persuasive.

Applicant argued that there is no motivation to combine Unno with West since Unno uses chiral smectic LC while West uses chiral nematic LC. The Examiner disagrees since Unno discloses that the second resin layer having a surface hardness

Art Unit: 2871

of 2B or harder is used to accurately control the gap size of the display. Therefore, it is obvious that the second resin layer of Unno having such useful function can be applied to any kind of LC display.

Applicant also argued that the second resin layer of Unno is a charge transport layer which is different from the second resin layer recited in claims 1 and 5 where the second resin layer is a resin layer. The Examiner disagrees since the second resin layer 25 of Unno is in fact a resin layer having an additional function of charge transport in addition to gap control (col. 6, lines 16-36).

Further, Applicant argued that the second resin layer recited in claims 29 and 30 consists of a resin and thus explicitly excludes additional materials such as a charge transport material. Again, the Examiner disagrees with Applicant's remarks since West already discloses that the second resin layer consists of a resin (col. 7, lines 2-7; col. 8, lines 17-19; and col. 9, Table II, examples 16 and 20 and Table III, examples 34 and 37), while Unno is employed for teaching a surface hardness of 2B or harder in order to accurately control the cell gap.

Finally, in response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

Art Unit: 2871

In this case, Konuma is employed for teaching a metal oxide provided on the transparent electrodes to prevent short-circuiting and improve contrast; Gotoh is employed for applying a low voltage of less than 20V across the pair electrodes in order to obtain excellent hysteresis characteristics; and Khan is employed for coating insulation layers on the electrodes to prevent front to back sorting of the electrodes.

Thus, the combination does result in the claimed invention and a prima facie of obviousness has been established.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thoi V. Duong whose telephone number is (571) 272-2292. The examiner can normally be reached on Monday-Friday from 8:30 am to 4:30 pm.


Art Unit: 2871

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms, can be reached at (571) 272-1787.

Thoi Duong



10/21/2006



DUNG T. NGUYEN
PRIMARY EXAMINER